


EQAPOL
 Duke University Medical Center
 2 Genome Court
 Durham, NC, 27710
 EQAPOL@duke.edu



CERTIFICATE OF ANALYSIS

EQAPOL Panel of Pseudotyped Viruses

This panel consists of standardized Env-pseudoviruses. Material for generating the pseudoviruses was provided by the HIV Superinfection Working Group and Dr. David Montefiori from Duke University. The panel is available in 0.5 mL aliquots to interested sites. The table below describes the characterization data for each sample.

Virus Name	TCID/mL	RLU/20 µl	p24 (pg/mL)	Subtype	GenBank
246F3-Q23	559	3,265	3.39E+04	AC	HM215279
25710-Q23	61,657	205,597	3.81E+04	C	EF117271
398F1-Q23	42,344	88,740	4.14E+04	A	HM215312
BG505.C2-Q23	61,657	183,089	2.29E+04	A	DQ208458
BJOX00200-Q23	69,877	202,122	3.12E+04	BC	HM215364
C.CON-Q23	3,225	92,305	9.26E+03	C consensus	DQ401075
CAP45-Q23	13,975	119,402	2.07E+04	C	DQ435682
CE0217-Q23	80,627	195,821	4.44E+04	C	FJ443575
CE1176-Q23	69,877	166,264	3.52E+04	C	FJ444437
CH119-Q23	69,877	140,987	3.74E+04	BC	EF117261
CNE55-Q23	50,564	190,098	3.86E+04	AE	HM215418
CNE8-Q23	42,344	28,754	3.51E+04	AE	HM215427
DQ435.100M.A4-Q23	13,975	115,740	4.27E+04	D	FJ866139
DU156.12-Q23	13,975	116,234	4.40E+04	C	DQ411852
JR-CSF-Q23	2,795	44,631	2.12E+04	B	AY669726
Q23Δenv	-	-	-	-	AF004885
Q461.D1-Q23	13,975	67,997	2.39E+04	A	AF407155
Q842.D16-Q23	53,437	161,278	3.88E+04	A	AF407162
TRO11-Q23	69,877	168,812	2.95E+04	B	AY835445
X1632-Q23	69,877	200,677	4.14E+04	G	FJ817370
X2278-Q23	69,877	212,685	4.19E+04	B	FJ817366

Samples Contributors: David Montefiori, Feng Gao, Lynn Morris, Julie Overbaugh, Carolyn Williamson, John Moore, Ronald Swanstrom, Yiming Shao, Linqi Zhang, James Binley, Michael Thomson


References:

- Abrahams M-R, Anderson JA, Giorgi EE, et al. Quantitating the Multiplicity of Infection with Human Immunodeficiency Virus Type 1 Subtype C Reveals a Non-Poisson Distribution of Transmitted Variants. *Journal of Virology*. 2009;83(8):3556-3567. doi:10.1128/JVI.02132-08.
- Binley JM, Wrin T, Korber B, et al. Comprehensive Cross-Clade Neutralization Analysis of a Panel of Anti-Human Immunodeficiency Virus Type 1 Monoclonal

Antibodies. *Journal of Virology.* 2004;78(23):13232-13252.
doi:10.1128/JVI.78.23.13232-13252.2004.

- Blish CA, Jalalian-Lechak Z, Rainwater S, Nguyen M-A, Dogan OC, Overbaugh J. Cross-Subtype Neutralization Sensitivity despite Monoclonal Antibody Resistance among Early Subtype A, C, and D Envelope Variants of Human Immunodeficiency Virus Type 1. *Journal of Virology.* 2009;83(15):7783-7788. doi:10.1128/JVI.00673-09.
- Gnanakaran S, Daniels MG, Bhattacharya T, et al. Genetic Signatures in the Envelope Glycoproteins of HIV-1 that Associate with Broadly Neutralizing Antibodies. Fraser C, ed. *PLoS Computational Biology.* 2010;6(10):e1000955. doi:10.1371/journal.pcbi.1000955.
- Kothe DL, Li Y, Decker JM, Bibollet-Ruche F et al. Ancestral and consensus envelope immunogens for HIV-1 subtype C. *Virology.* 2006 Sep 1;352(2):438-49. Epub 2006 Jun 14. DOI: 10.1016/j.virol.2006.05.011
- Kulkarni SS, Lapedes A, Tang H, et al. Highly complex neutralization determinants on a monophyletic lineage of newly transmitted subtype C HIV-1 Env clones from India. *Virology.* 2009;385(2):505-520. doi:10.1016/j.virol.2008.12.032.
- Li M, Gao F, Mascola JR, et al. Human Immunodeficiency Virus Type 1 env Clones from Acute and Early Subtype B Infections for Standardized Assessments of Vaccine-Elicited Neutralizing Antibodies. *Journal of Virology.* 2005;79(16):10108-10125. doi:10.1128/JVI.79.16.10108-10125.2005.
- Li M, Salazar-Gonzalez JF, Derdeyn CA, et al. Genetic and Neutralization Properties of Subtype C Human Immunodeficiency Virus Type 1 Molecular env Clones from Acute and Early Heterosexually Acquired Infections in Southern Africa. *Journal of Virology.* 2006;80(23):11776-11790. doi:10.1128/JVI.01730-06.
- Long EM, Rainwater SM, Lavreys L et al. HIV type 1 variants transmitted to women in Kenya require the CCR5 coreceptor for entry, regardless of the genetic complexity of the infecting virus. AIDS Research and Human Retroviruses Volume: 18 Issue 8: July 5, 2004 DOI: 10.1089/088922202753747914.
- Neilson JR, John GC, Carr JK, et al. Subtypes of Human Immunodeficiency Virus Type 1 and Disease Stage among Women in Nairobi, Kenya. *Journal of Virology.* 1999;73(5):4393-4403.
- Poss M, Overbaugh J. Variants from the Diverse Virus Population Identified at Seroconversion of a Clade A Human Immunodeficiency Virus Type 1-Infected Woman Have Distinct Biological Properties. *Journal of Virology.* 1999;73(7):5255-5264.
- Revilla, E. Delgado et al. Construction and phenotypic characterization of HIV type 1 functional envelope clones of subtypes G and F AIDS Research and Human Retroviruses. August 2011, 27(8): 889-901. doi:10.1089/aid.2010.0177.
- Wu X, Parast AB, Richardson BA, et al. Neutralization Escape Variants of Human Immunodeficiency Virus Type 1 Are Transmitted from Mother to Infant. *Journal of Virology.* 2006;80(2):835-844. doi:10.1128/JVI.80.2.835-844.2006.

EQAPOL
Duke University Medical Center
2 Genome Court
Durham, NC, 27710
EQAPOL@duke.edu



Notes

All oral presentations or written publications concerning research utilizing EQAPOL samples should include the following acknowledgement: "This work has been supported in whole or part with federal funds from the National Institute of Allergy and Infectious Diseases, National Institutes of Health, Contract Number HHSN272201700061C." The provider(s) of source material should also be acknowledged in oral presentation and written publications.

K. Skinner

Quality Assurance Signature

14 Feb 18

Date